

acniti LLC 1-2-9 Nyoidani Minoh Osaka 562-0011 Japan



water tank for laboratory research

Acniti's nanobubble water tanks are meticulously engineered for laboratory research, offering precision and reliability essential for advanced experimentation. Available in perspex and clear PVC models with various fittings, these custom tanks are designed to support cutting-edge nanobubble research. Explore detailed specifications and discover how Acniti delivers optimum performance for scientific investigations.











water tank for laboratory research

water tank for laboratory research

- High quality research water tanks from perspex or clear PVC
- Invisibly glued
- Custom Designs Available

Take your nanobubble research to the next level with Acniti's premium custom-made water tanks—engineered for precise laboratory experimentation and trusted results. Designed for scientists and innovators who demand excellence and reliability, these robust tanks support advanced nanobubble generation and fluid dynamics studies. Each tank combines high-quality materials, customizable options, and advanced exhaust management to ensure safe, consistent, and repeatable research outcomes. The seamless construction offers flawless, leak-proof operation and a professional finish, making Acniti tanks the clear choice for laboratories aiming for cutting-edge breakthroughs.

Key Features:

- Premium Materials: Crafted from high-grade acrylic glass (PMMA) or clear
 PVC with wall thicknesses from 5mm to 20mm, these tanks deliver outstanding durability and crystal-clear visibility for every experiment.
- **Tailored Designs:** Choose from standard models tailored for miniGaLF, Turbiti Fusion, and MicroStar FS302 nanobubble generators, or request a custom tank to fit your exact research specifications.
- Advanced Functionality: Some tanks are equipped with gas exhaust outlets to manage excess gases, maintaining optimal experimental conditions.
- **Precision Craftsmanship:** Built with seamless, invisible joints for a leak-proof structure and a sleek, professional appearance in your laboratory.



clear pvc tank 181pm with fittings

	Description	Metric	Imperial
1	Model name	Clear PVC tank 18lpm with fittings	Clear PVC tank 18lpm with fittings
2	Model number	clear- pvc_tank_18lpm_with_fit tings	clear- pvc_tank_18lpm_with_fittings
	Liquid	Metric	Imperial
3	Flow / minute	18 Liter	4.8 Gallon
4	Flow / hour	1,080.0 Liter	285 Gallon
5	Strainer availability and size		
	Gas	Metric	Imperial
6	Gas quality		
7	Gas remark		
	Electrical	Metric	Imperial
8	Unit phase Ø voltage		
9	Unit power consumption		
10	Wetted parts	porchoy	
		perspex	perspex
11	Pump model	perspex	perspex
11 12	·	perspex	perspex
	Pump model	perspex	perspex
12	Pump model Pump phase Ø voltage Pump phase Ø voltage	регорех	perspex
12 13	Pump model Pump phase Ø voltage Pump phase Ø voltage 60Hz	perspex	perspex
121314	Pump model Pump phase Ø voltage Pump phase Ø voltage 60Hz Pump pressure setting	Metric	Imperial
121314	Pump model Pump phase Ø voltage Pump phase Ø voltage 60Hz Pump pressure setting Control		



	Connections	Metric	Imperial
18	Gas inlet	Gas oulet exhaust RC 1/4"	Gas oulet exhaust RC 1/4"
	Dimensions & weight	Metric	Imperial
19	Dim. (w) x (d) x (h)	300 x 220 x 440 mm	11.8 x 8.7 x 17.3 inch
20	weight	19.5 Kg	43.0 lbs.
21	Shipping dim. (w)x(d)x(h)	32 x 38 x 56 cm	13 x 15 x 22 inch
22	Shipping weight	21 Kg	46 lbs.
	Remarks		
		netto tank volume 17.8 liter	
23	Other remarks	gross tank volume 29.7 liter	
		wall tank thickness 20mm	

18 weight



microstar clear pvc tank

	Description	Metric	Imperial
1	Model name	microstar clear pvc tank	microstar clear pvc tank
2	Model number	microstar_clear_pvc_tan k_15I	microstar_clear_pvc_tank_15
	Liquid	Metric	Imperial
3	Strainer availability and size		
	Gas	Metric	Imperial
4	Gas quality		
5	Gas remark		
	Electrical	Metric	Imperial
6	Unit phase Ø voltage		
7	Unit power consumption		
8	Wetted parts	clear pvc	clear pvc
9	Pump model		
10	Pump phase Ø voltage		
11	Pump phase Ø voltage 60Hz		
12	Pump pressure setting		
13	Control		
	Connections	Metric	Imperial
14	Water inlet		
15	Water outlet		
16	Gas inlet		
	Dimensions & weight	Metric	Imperial
17	Dim. (w) x (d) x (h)	460 x 210 x 385 mm	18.1 x 8.3 x 15.2 inch

5 Copyright © 2025

23.4 lbs.

10.6 Kg



	Dimensions & weight	Metric	Imperial
19	Shipping dim. (w)x(d)x(h)	56 x 32 x 54 cm	22 x 13 x 21 inch
20	Shipping weight	20 Kg	44 lbs.
	Remarks		
21	Other remarks	 tank volume nett 17.2 liter tank volume gross 33.1 liter microstar ozone resistant water tank for reseach and small practical nanobubble applications. 	